	Application No.	Applicant(s)
Notice of Allowability		
	10/828,834 Examiner	CHANDRAN ET AL. Art Unit
	Jonas N. Strickland	1754
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. This communication is responsive to the telephone interview of 3/16/05.		
2. The allowed claim(s) is/are <u>claims 1-5 and 7-27 are allowed</u> .		
3. ⊠ The drawings filed on 21 April 2004 are accepted by the Examiner.		
 4. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) Some* c) None of the: Certified copies of the priority documents have been received. Certified copies of the priority documents have been received in Application No. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 		
5. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.		
 6. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of 		
each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
7. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
Attachment(s) 1. ☐ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ☐ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date	6. Interview Summary Paper No./Mail Dat 8), 7. Examiner's Amendm	e <u>3/16/05</u> .

Application/Control Number: 10/828,834 Page 2

Art Unit: 1754

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

Authorization for this examiner's amendment was given in a telephone interview with Christina L. Mangelson on 3/16/05.

- 2. The application has been amended as follows:
 - In claim 1, line 3, --, wherein the reactor is a fluidized bed reactor fluidized with carbon dioxide has been inserted after "reactor".
 - Claim 6 has been cancelled.
 - In claim 11, line 7 after "temperature"; -- to form a carbon-containing radical has been inserted.
 - In claim 22, line 3 after "nitrogen oxide compounds;", -- indirectly heating the waste or gaseous stream to a reaction temperature; -- has been inserted.
 - In claim 22, line 9 after "radical", -- at the reaction temperature has been inserted.
- 3. The following is an examiner's statement of reasons for allowance: The instant application is allowable over the cited prior art, because the cited prior art fails to disclose a waste stream treatment method comprising: feeding a waste stream comprising nitrates, nitrites, or mixtures thereof to a reactor; wherein the reactor is a fluidized bed reactor fluidized with carbon dioxide; heating the reactor to a reaction temperature; feeding a carbon-containing additive to the

Application/Control Number: 10/828,834

Art Unit: 1754

reactor; decomposing the carbon-containing additive to form a carbon-containing radical; and reducing the nitrites, nitrates, or mixtures thereof via reaction with the carbon-containing radical to a product stream, wherein the product stream comprises nitrogen gas, carbonate salts, and at least one of carbon monoxide and carbon dioxide.

Mason (US Patent 6,280,694) discloses the utilization of carbonous materials as the heat source in the single stage denitration process. Specifically according to Mason, the carbonous materials are steam reformed to form CO/CO₂, which serve as gaseous reducing agents and also serve to generate heat in the reactor (see col. 2, lines 17-34).

In the present invention, in contrast, a reducing environment is maintained in the reactor and the carbon-containing radical formed from decomposition of the additive is the reducing agent. Furthermore, the present invention utilizes a fluidization medium of carbon dioxide, as well as wherein indirectly heating the reactor to a reaction temperature.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

4. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jonas N. Strickland whose telephone number is 571-272-1359. The examiner can normally be reached on M-TH, 7:30-5:00, off 1st Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stanley Silverman can be reached on 571-272-1358. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Application/Control Number: 10/828,834

Art Unit: 1754

Page 4

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

Jonas N. Strickland March 16, 2005

STANGEY'S. SILVERIVIAN
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 1700